


TEKNOMOTOR



HF motor C55M



TEKNOMOTOR





TYPE TIPO TYP	POWER POTENZA LEISTUNG	VOLTAGE TENSIONE SPANNUNG	FREQ.	SPEED VELOCITA' DREHZAHL	ABSORB. ASSORB. AMP AUFN	WEIGHT PESO GEW.
	kW	V	Hz	RPM	A	kg
C55M – A – SB	0.75	220 / 380	200	12000	4.2 / 2.4	4.8
C55M – B – SB	1.10	220 / 380	200	12000	5.4 / 3.1	5.4
C55M – C – SB	1.50	220 / 380	200	12000	6.7 / 3.9	6.7
C55M – D – SB	1.80	220 / 380	200	12000	8.0 / 4.6	7.1

OVERALL DIMENSIONS – DIMENSIONI INGOMBRO – ABMESSUNGEN

[illegible]

TYPE – TIPO – TYP	L1 [mm]	P [mm]	K [mm]	M [mm]
C55M–A–SB–L20	245.7	79.2	130	185
C55M–B–SB–L20	260.7	94.2	130	200
C55M–C–SB–L20	280.7	114.2	170	220
C55M–D–SB–L20	300.7	134.2	170	240


C55M – SB – L40



TYPE – TIPO – TYP	L2 [mm]	P [mm]	K [mm]	M [mm]
C55M-A-SB-L40	265.7	79.2	130	185
C55M-B-SB-L40	280.7	94.2	130	200
C55M-C-SB-L40	300.7	114.2	170	220
C55M-D-SB-L40	320.7	134.2	170	240



C55M – SB – L61



TYPE – TIPO – TYP	L3 [mm]	P [mm]	K [mm]	M [mm]	HK [mm]	FK [mm]
C55M-A-SB-L61	286.7	79.2	130	185	18	19
C55M-B-SB-L61	301.7	94.2	130	200		
C55M-C-SB-L61	321.7	114.2	170	220		
C55M-D-SB-L61	341.7	134.2	170	240		

